ISSN 0013-8908

THE ENTOMOLOGIST'S MONTHLY MAGAZINE

World List Abbreviation, 4th ed. (1963): *Entomologist's mon. Mag.*

EDITED BY
Prof. Sir Richard SOUTHWOOD, D.Sc., F.R.S., F.R.E.S.
M. G. MORRIS, M.A., Ph.D., F.I.Biol., F.L.S., F.R.E.S.
K. G. V. SMITH, C.Biol., F.I.Biol., F.L.S., F.Z.S., F.R.E.S.
J. W. ISMAY, B.Sc., Ph.D., F.R.E.S.
P. M. HAMMOND, M.A., F.R.E.S.
W. R. DOLLING, B.Sc., F.R.E.S.

VOLUME 123

INSTITUTE OF ENTOMOLOGY
LIBRARY
11 APR 1988
EU 534

'J'engage donc tous à éviter dans leurs écrits toute personnalité, toute allusion dépassant les limites de la discussion la plus sincère et la plus courtoise.' — *Laboulbène.*

THE ENTOMOLOGIST'S MONTHLY MAGAZINE
BRIGHTWOOD
BRIGHTWELL, WALLINGFORD, OXON OX10 0QD
1987

Published by Gem Publishing Company

CONTENTS

CONTRIBUTORS iii
GENERAL INDEX iv
SPECIAL INDEX –
ARACHNIDA viii
COLEOPTERA viii
DERMAPTERA x
DICTYOPTERA x
DIPTERA x
HEMIPTERA xiii
HYMENOPTERA xiv
LEPIDOPTERA xv
NEUROPTERA xv
ORTHOPTERA xv
PHTHIRAPTERA xv
PSOCOPTERA xvi
STREPSIPTERA xvi
THYSANOPTERA xvi
THYSANURA xvi
TRICHOPTERA xvi
GROUPS OTHER THAN INSECTA AND ARACHNIDA xvi
ERRATA AND CORRIGENDA xvi

DATES OF PUBLICATION

January/February/March/April	27th March 1987
May/June/July/August	31st July 1987
September/October/November/December	30th November 1987

INDEX

This index covers the year 1987 (Vol. **123**). Items occurring on the wrappers are indicated by Roman numerals. Prepared by Mrs A.V. Smith.

INDEX TO CONTRIBUTORS

Ackland, D.M., 156
Adams, C.E., 180
Alexander, K.N.A., 44, 48, 58, 140, 152, 162, 190, 221, 249
Anderson, R., 224
Appleton, D., 14, 126
Archer, M.E., 27, 259
Askew, R.R., 49
Ball, S., 44
Bayne, D.M., 81
Berté, S.B., 181
Blackman, R.L., 60
Boorman, J., 147
Bowstead, S., 109
Brindle, A., 141
Brown, D.W., 180
Bullock, J.A., 112, 190
Burt, S. D'Arcy, 120
Carr, R., 13, 94
Chandler, P.J., 204
Clements, D.K., 68, 96, 107, 140, 222, 249
Cock, M.J.W., 106
Cole, J., 33
Collier, M., 249
Collins, N.M., 229
Cook, A.A., 61
Cooper, M., 223
Cooter, J., 54, 71, 148
Cosens, D., 209
Crellin, S.M., 35
Crosskey, R.W., 149, 165
Crow, P., 34
Crowson, R.A., 14, 126, 155, 242
Deeming, J.C., 15, 117
Dewhurst, C.F., 146
Disney, R.H.L., 47, 157, 191
Dolling, W.R., 251
Donaldson, J.M.L., 1
Drake, C.M., 217
Eccles, T.M., 109, 126
Eds, 99
Enghoff, H., 205, 207, 208
Erzinçlioğlu, Y.Z., 97
Felton, J.C., 235
Fennah, R.G., 243
Forrester, G.J., 81
Fowler, J.A., 178
Freeman, P., 195
Gibbs, D., 242
Godden, C., 209
Godfrey, A.R., 40
Graham, M.W.R. de V., 185
Halstead, A.J., 189
Hammond, P.M., 25, 58, 72, 126
Hancock, D.L., 239
Hodge, P.J., 36, 48, 58, 89
Hollier, J.A., 77, 250
Horsfield, D., 32, 72
Hyman, P.S., 59, 90
I.C.Z.N., 96, x, xi
Irwin, A.G., 82
Israelson, G., 73
James, T.J., 179
Kaul, H.N., 93
Key, R.S., 106, 111, 116, 139
Kurahashi, H., 95
Lane, R., 163
Last, J.R., 221
Lewis, D.J., 93
Lott, D.A., 222, 248
Luff, M. [L.], 105, 219
Luxton, M., 113
Lyal, C.H.C., 55
Lyszkowski, R.M., 250
McClenaghan, I., 178
MacGowan, I., 216
Meiklejohn, J.W., 162
Morgan, M.J., 76
New, T.R., 229
O'Connor, J.P., 50, 125, 228
O'Connor, M.A., 228
Overman, J.L., 117
Owen, J.A., 31, 125, 145
Packer, L., 37
Palmer, C.J., 234
Perry, I., 48
Pickard, R.S., 115
Pontin, A.J., 238
Porter, D.A., 106
Robinson, M.W., 51
Rotheray, G.E., 121
Rudzinski, H.-G., 91
Seccombe, A.D., 225
Shaw, M.R., 230
Sheppard, D.A., 112
Smith, K.G.V., 92, 156, 161, 180, 222, 228, 248, 259, 260
Snow, K.R., 83, 127
Spriggs, A. Kirk-, 69
Stork, N.E., 206
Thompson, J.L. Cloudsley-, 238
van der Goot, V.S., 82
Vardy, C.R., 99
Wallace, I.D., 181
Webb, M.D., 41
Welch, R.C., 161, 218
Whalley, P., 67
Wheater, C.P., 116
White, I.M., 194
Whitehead, P.F., 90
Whitfield, D.G., 45
Wilson, M.R., 151
Withers, P., 231
Wright, R.I. Vane-, 164

GENERAL INDEX

Aberration, frontal, in the sciarid fly *Trichosia caudata* Walker (Dipt., Sciaridae), 91; of leg structure in *Cheilosia albitarsis* Meigen (Dipt., Syrphidae), 107
Afghanistan, a new species of *Acyrthosiphon* (Hom., Aphidiidae) from *Poterium sanguisorba* L. in, 225
African armyworm, *Spodoptera exempta* (Walker) (Lep., Noctuidae), an unexpected predator of *Heliothis armigera* (Hübner) in Kenya, 146
African cercopid genus *Bandusia* Stål (Hom., Auchenorrhyncha, Cercopidae), 151
Aggregation of Opiliones (Arachnida) in southern Portugal, 238
Amphiatlantic millipede, *Thalassisobates littoralis* (Silvestri) (Diplopoda, Julida, Nemasomatidae), an, 205
Anglesey and Carnaervonshire, some local and rare Coleoptera from, 150
Ants' nests (Hym., Formicidae), a new genus and two new species of Phoridae (Dipt.) from, in Sulawesi, 157
Aphidophagous Syrphidae, larvae and puparia of five species of, 121
Argyllshire, ant species (Hym., Formicidae) native to North Knapdale, 209
Australian Dermaptera, new, including one new genus, 141
Badger louse (*Trichodectes melis* F.), structure and function of the male genitalia of (Phthiraptera: Ischnocera: Trichodectidae), 55
Behaviour, unusual, by *Pimpla instigator* (F.) (Hym., Ichneumonidae), 189
Berkshire, *Agrilus pannonicus* (Pill. & Mill.) (Col., Buprestidae) in Windsor, 40; further additions to the list of Coleoptera from Windsor, 31
Blue car, *Xyleborus saxeseni* (Ratz.) (Col., Scolytidae) attracted to, in the Forest of Dean, Gloucestershire, 161
Breconshire, *Pyrrhidium sanguineum* (L.) (Col., Cerambycidae) from, 139
Britain, a further record of *Troglops cephalotes* (Olivier) (Col., Melyridae) in, 179; *Anastatus ruficaudus* Ferrière (Hym., Chalcidoidea), a eupelmid new to, 49; *Bruchella rufipes* (Olivier) (Col., Anthribidae), rediscovered in, 90; *Euplectus bonvouloiri rosae* Raffray (Col., Pselaphidae), new to, 109; *Euthyneura inermis* Becker (Dipt., Empididae) in, 33; *Forcipomyia (Euprojoannisia) phlebotomoides* Bangerter 1933, new to, with notes on other members of the subgenus (Dipt., Ceratopogonidae), 147; *Meromyza hispanica* Fedoseeva 1971 (Dipt., Chloropidae), new to, 217; mites of the family Cryptognathidae Oudemans 1902 (Prostigmata) in, 113; *Otiorhynchus aurifer* Boheman (Col., Curculionidae) new to, 59; *Pseudolynchia garzettae* Rondani (Dipt., Hippoboscidae), an unrecognized addition to, 234; *Scythropochroa radialis* Lengersdorf (Dipt., Sciaridae) confirmed in, 204; the history of *Alysson lunicornis* (Fabricius) (Hym., Sphecidae) in Great, 37
British, mosquitoes (Dipt., Culicidae), the names of, 127; Sciaridae (Diptera): new records and species with notes on the Tuomikoski collection, 195; second "wild" record for *Blaps mucronata* Latr. (Col., Tenebrionidae), 218; status confirmation of for *Atrichobrunettia* Satchell (Dipt., Psychodidae), 231
Buddleja globosa Hope, *Cionus scrophulariae* (L.) (Col., Curculionidae) feeding on, 190
Cambridgeshire, *Cercyon laminatus* Sharp (Col., Hydrophilidae) in, 36; records of the genus *Myopa* (Dipt., Conopidae) from, 48
Caernarvonshire and Anglesey, some local and rare Coleoptera from, 150
Canada, larvae of *Coniosternum* minuta (Malloch) and *C. obscura* Fallén (Dipt., Scathophagidae) feeding on eggs of Trichoptera in Ireland and, 181
Canary Islands, an *Aposericoderus* Paulian from the, with a note on the spermathecae of the Corylophidae (Coleoptera), 73
Cape Verde Islands, a new species of *Scoliocephalus* Becker (Dipt., Ephydridae) from the, with a key to the known species of the genus, 69
Check List of British mosquitoes, towards a, 83
China, *Karteroiulus niger* Attems, 1909, (Diplopoda, Julida, Parajulidae) in, 207; three new species of *Dolichovespula* (Hym., Vespidae) from, 27
Colour change after death, of *Didea alneti* (Fallén) (Dipt., Syrphidae) in Wales, 34
Cornwall, *Hydroporus obsoletus* Aubé (Col., Dytiscidae) in east, 94; *Pediacus dermestoides* (Fab.) (Col., Cucujidae) new to, and some comments on its apparent increase in abundance in southern Britain, 162; some notable ladybirds (Col., Coccinellidae) from, 140
County records, new, for *Stenus butrintensis* Smet. (Col., Staphylinidae), 58
Cyclorrhaphan, evidence that *Opetia nigra* Meigen (Dipt., Opetiidae) is not a, 47
Derbyshire, *Eristalis rupium* F. (Dipt., Syrphidae) in, 68
Dorset, some notable ladybirds from, 140

Durham, *Leistus rufomarginatus* (Dufts.) (Col., Carabidae) in, 105
East Anglia, *Neottiophilum praeustum* (Mg.) (Dipt., Piophilidae) new to, with a cautionary note, 82
Eggs of Trichoptera, larvae of *Coniosternum minuta* (Malloch) and *C. obscura* Fallén (Dipt., Scathophagidae) feeding on, in Canada and Ireland, 181
Eire, Chrysomelids (Col.) on *Salix* spp. in 1985, 112
England, the genus *Nitela* Latreille (Hym., Sphecidae) in southern, 235
Entomologist (Vol. 1, 1840–42), some early issues of the, which provide precise dates for Haliday plates of Chalcidoidea (Hym.), 185
Fiji, fortuitous attachment of blackfly pupae (Dipt., Simuliidae) to shrimps in, 149
Food of *Staphylinus olens* Müller (Col., Staphylinidae), 116
Forest of Dean, *Xyleborus saxeseni* (Ratz.) (Col., Scolytidae) attracted to a blue car in, 161
Fungal pathogen of larvae of *Bibio johannis* L. and *Dilophus febrilis* L. (Dipt., Bibionidae), 120
Genitalia, male, of the badger louse, *Trichodectes melis* (Fabricius) (Phthiraptera: Ischnocera: Trichodectidae), structure and function of, 55
Glasgow, *Noterus clavicornis* De Geer (Col., Noteridae) at Possil Marsh, 155
Gloucestershire, *Axinotarsus marginalis* (Lap.) (Col., Melyridae) new to, 190; *Mycetophagus populi* Fab. (Col., Mycetophagidae) new to, 48; *Prionychus melanarius* (Germar) (Col., Tenebrionidae) in, 145; *Xyleborus saxeseni* (Ratz.) (Col., Scolytidae) attracted to a blue car in forest of Dean, 161
Grassland Hemiptera from Mitcham Common, Surrey, 77
Ground beetle activity in a Northamptonshire wood, 61
Haliday plates of Chalcidoidea (Hym.), some early issues of the *Entomologist* (Vol. 1, 1840–42) which provide precise dates for, 185
Hampshire, *Eriozona syrphoides* (Fallén) (Dipt., Syrphidae) new to, 14; *Falagria concinna* Erichson (Col., Staphylinidae) new to, 126
"Herd grazing" in tropical Psocoptera, 229
Herefordshire, *Ctenophora* species (Dipt., Tipulidae) in, 140; *Hydroptila lotensis* Mosely (Trichop., Hydroptilidae) in, 148; some notable deadwood Coleoptera from two little-known localities in, 221
Hering Memorial Research Fund, v
India, a new species of *Sergentomyia* (Dipt., Psychodidae) from, 93
International Commission on Zoological Nomenclature, 96, x, xi
Ireland, *Badonnelia titei* Pearman (Psocoptera, Sphaeropsocidae) a splendid addition to the library of the National Museum of, 125; larvae of *Coniosternum minuta* (Malloch) and *C. obscura* Fallén (Dipt., Scathophagidae) feeding on eggs of Trichoptera in Canada and, 181
Irish piggery, *Alphitobius diaperinus* (Panzer) (Col., Tenebrionidae) damaging polystyrene insulation in an, 50
Irish records, *Melasis buprestoides* (L.) (Col., Eucnemidae), a second, 228; recent records of *Stenus nigritulus* Gyll. and *S. opticus* Grav. (Col., Staphylinidae), 224; some not-so-recent of *Euophryum confine* (Broun) (Col., Curculionidae), 178
Isle of Man, additions and corrections to the Coleoptera of the, 219; some Aculeate Hymenoptera new to the, 35
Jersey List, *Philonthus coprophilus* Jarrige (Col., Staphylinidae) new to the, 221
Kashmir, a nest of *Dolichovespula asiatica* Archer (Hym., Vespidae), from, 259
Kennet Valley, some interesting insects from, 242
Kent, aquatic Coleoptera from a landslip on Sheppey, including *Laccobius sinuatus* Motschulsky (Hydrophilidae) new to east, 13
Kenya, a collection of *Atherigona* Rondani (Dipt., Muscidae) from, with the description of a new species, 117; *Heliothis armigera* (Hübner) as an unexpected predator of the African armyworm *Spodoptera exempta* (Walker) (Lep., Noctuidae) in, 146
Larvae, and puparia of five species of aphidophagous Syrphidae (Diptera), 121; early instar, recognition of the genera *Calliphora* and *Lucilia* (Dipt., Calliphoridae), 97; of *Bibio johannis* L. and *Dilophus febrilis* L. (Dip., Bibionidae), a fungal pathogen of, 120; of *Coniosternum minuta* (Malloch) and *C. obscura* Fallén (Dipt., Scathophagidae) feeding on eggs of Trichoptera in Canada and Ireland, 181
Leicestershire, *Carpelimus lindrothi* Palm (Col., Staphylinidae) in, 248; notes on *Aromia moschata* (L.) (Col., Cerambycidae) in, 222
Liverpool park, *Biblopectus minutissimus* Aubé (Col., Pselaphidae) from a, 126
Low Countries, *Meroplius minutus* (Wiedemann) (Dipt., Sepsidae) extinct in the, 82

Malgasian Region, some new and little-known species of *Atherigona* Rondani (Dipt., Muscidae) from the, 15
Meniscus midge (Dipt., Dixiidae) new to Wales, 178
Midlands, hornets (*Vespa crabro* L.) (Hym., Vespidae) in the east, 68
Mitcham Common, Surrey, grassland Hemiptera from, 77
Mites of the family Cryptognathidae Oudemans 1902 (Prostigmata) in the British Isles, 113
Names of the British mosquitoes (Dipt., Culicidae), 127
Neotropical Larrinae (Hym., Sphecidae), the new taxa of and a new prey record, 99
Nest foundation by large groups of queen ants (Hym., Formicidae), 238
Netherlands, *Sepsis violacea* Meigen (Dipt., Sepsidae) on the increase since the sixties in the, 82
New Forest, *Brachygaster minutus* (Olivier) (Hym., Evaniidae) in the, 112
New records of *Chetostoma curvinerve* Rondani, 1856 (Dipt., Tephritidae), 204
Norfolk, records of the genus *Myopa* (Dipt., Conopidae) from, 48
Northamptonshire wood, ground beetle activity in a, 61
Northumberland, *Ophyra capensis* (Wied.) and *O. ignava* (Harris) (Dipt., Muscidae) in, 44
OBITUARIES – David James Lewis, 165; Norman Cecil Egerton Miller, 251
Olympic record a new, for *Pachyiulus hungaricus* (Karsch) (Diplopoda, Julida, Julidae), 208
Oxfordshire, *Elenchus tenuicornis* (Kirby) (Strepsiptera: Elenchidae) in a malaise trap in, 81
Parasitoids, *Lobesia occidentalis* (Falkovitch) (Lept., Tortricidae) and its, 106
Pembrokeshire, some notable Coleoptera from, including *Ceutorhynchus sulcicollis* (Payk.) new to Wales, 44
Phoresy in the pseudoscorpion *Lamprochernes nodosus* (Schrank) (Pseudoscorpiones: Chernitidae), 222
Polystyrene insulation in an Irish piggery, *Alphitobius diaperinus* (Panzer) (Col., Tenebrionidae) damaging, 50
Pooter, a cheap robust blow-, 45
Portugal, an aggregation of Opiliones (Arachnida) in Southern, 238
Power lines, *Schizotus pectinicornis* (L.) (Col., Pyrochroidae) in clearings under, 125
Predators of the African armyworm *Spodoptera exempta* (Walker) (Lep., Noctuidae), *Heliothis armigera* (Hübner) as an unexpected, in Kenya, 146
Radnorshire, *Blethisa multipunctata* (L.) (Col., Carabidae) abundant at Rhôs Gôch Common, 116
Recharacterization of the Ommatidiotini (Hem.-Hom.) (Fulgoroidea, Issidae, Caliscelinae) with the description of two new genera, 243
Replacement name for *Calliphora pseudovomitoria* Kurahashi, 1971 (Dipt., Calliphoridae), 95
REVIEWS – **Atty, D.B.,** 1983, Coleoptera of Gloucestershire, 72; **Berridge, M.J., Treherne, J.E. & Wigglesworth, V.B.** (eds), 1985, Advances in Insect Physiology, Vol. 18, 164; **Bradley, J.D. & Fletcher, D.S.,** 1986, An Indexed List of British Butterflies and Moths, 228; **Cavalloro, R.** (ed), 1986, Fruit Flies of Economic Importance (conference proceedings), 194; **Chinery, M.,** 1986, Garden Creepy-Crawlies, 222; **Davies, M. & Kathirithamby, J.,** 1986, Greek Insects, 260; **Fergusson, N.D.M.,** 1986, Handbooks for the Identification of British Insects, Charipidae, Ibaliidae and Figitidae (Hymenoptera: Cynipoidea), 146; **Freeman, P. & Lane, R.P.,** 1985, Handbooks for the Identification of British Insects, Bibionid and Scatopsid Flies, 92; **Garstang, W.,** 1985, Larval Forms and other Zoological Verses, 156; **Goater, B.,** 1986, British Pyralid Moths, A Guide to their Identification, 67; **Griffiths, G.C.D.,** 1986, Flies of the Nearctic Region, Vol. VIII, 156; **Harding, P.T. & Rose, F.,** 1986, Pasture Woodlands in Lowland Britain: a Review of their Importance for Wildlife Conservation, 206; **Heath, J., Maitland Emmet, A.,** *et al.,* 1986, The Moths and Butterflies of Great Britain & Ireland, Vols 1, 9 (Pt I) and 10 (Pt II), 180; **Heie, O.E.,** 1986, The Aphidoidea (Hemiptera) of Fennoscandia and Denmark III, 60; **Nature Conservancy Council,** Monitoring the Abundance of Butterflies and The Management of Chalk Grassland for Butterflies, 208; **Palm, E.,** 1986, Nordeuropas Pyralider, 67; **Rinderer, T.E.** (ed), 1986, Bee Genetics and Breeding, 115; **Smith, A.Z.,** 1986, A History of the Hope Entomological Collections in the University Museum, Oxford, 248; **Smith, K.G.V.,** 1986, A Manual of Forensic Entomology, 163; **Smithsonian Year,** 1985, x; **Thomas, J.A.,** 1986, RSNC Guide to Butterflies of the British Isles, 161; **Unwin, D.M.,** 1984, A Key to the Families of British Beetles (and Strepsiptera) (AIDGAP), 25

Salix spp., Chrysomelids (Col.) on, in Eire 1985, 112
Scotland, *Alophora hemiptera* (F.) (Dipt., Tachinidae) in, 81; ant species (Hym., Formicidae) native to North Knapdale, Argyllshire, 209; *Calasoma inquisitor* (L.) (Col., Carabidae) in, 180; further notes on *Chrysopa perla* (L.) (Neurop., Chrysopidae) in, 230; *Meligethes solidus* Kugelann (Col., Nitidulidae) in, 242; *Noterus clavicornis* DeGeer (Col., Noteridae) at Possil Marsh, Glasgow, 155; *Phyllodecta polaris* Schneider (Col., Chrysomelidae) in Sutherland, 32; seven species of Coleoptera apparently unrecorded from, 250; some records of Coleoptera from Dalmeny Park, West Lothian, 14; three species of Dolichopodidae (Diptera) new to, 216
Scottish Highlands, a second record of *Delia caledonica* Assis Fonseca (Dipt., Anthomyiidae) from the, 72; locality, a second, for *Scolytus intricatus* Ratzeburg (Col., Scolytidae), 126
Secondary sexual structure of the male of *Anacrabro fritzi* Leclercq (Hym., Sphecidae), 223
Shrimps, fortuitous attachment of blackfly pupa (Dipt., Simuliidae) to, in Fiji, 149
Shropshire, local and rare Coleoptera from, 249
South Africa[n] Cetoniinae (Col., Scarabaeidae), descriptions of and a key to some, 1; the identity of *Empoasca distinguenda* Paoli (= *E. citrusa* Theron), (Hom., Auchenorrhyncha, Cicadellidae), a citrus pest in, 41
Spain, a new species of *Triphleba* (Dipt., Phoridae) from, and two new synonyms in this genus, 191
Spermathecae of the Corylophidae (Coleoptera), an *Aposericoderus* Paulian from the Canary Islands, with a note on, 73
Staffordshire, *Metrioptera brachyptera* (L.) (Orth., Tettigoniidae) in, 247
Suffolk, *Heterocerus hispidulus* Kies. (Col., Heteroceridae) in a sand pit in, 249; records of the genus *Myopa* (Dipt., Conopidae) from, 48
Surrey, grassland Hemiptera from Mitcham Common, 77
Sussex, *Platycis cosnardi* (Chevrolat) (Col., Lycidae) in west, 106
Sutherland, *Phyllodecta polaris* Schneider (Col., Chrysomelidae) in, 32
Tuomikoski collection, notes on, and new British species and records of Sciaridae (Diptera), 195
Uganda and Kenya, a collection of *Atherigona* Rondani (Dipt., Muscidae) from, with the description of a new species, 117
Wales, a meniscus midge (Dipt., Dixidae) new to, 178; *Ceutorhynchus pilosellus* Gyll. (Col., Curculionidae) in south, 89; *Coelioxys vectis* Curtis (Hym., Megachilidae) in, 71; *Criorhina asilica* (Fallén) (Dipt., Syrphidae) new to, 96; *Didea alneti* (Fallén) (Dipt., Syrphidae), in, and its colour change after death, 34; *Dilta hibernica* (Carpenter) (Thysanura, Machilidae) in south, 58; *Idiocerus herrichi* Kirschbaum (Hem., Cicadellidae) from, 250; some Hemiptera Heteroptera from north, 76; some notable Coleoptera from Pembrokeshire, including *Ceutorhynchus sulcicollis* (Payk.) new to, 44; *Symmorphus crassicornis* (Pz.) (Hym., Eumenidae) in south, 54; *Tychius quinquepunctatus* (L.) (Col., Curculionidae) in south, 48
Windsor, *Agrilus pannonicus* (Pill. & Mill.) (Col., Buprestidae) in, 40; further additions to the list of Coleoptera from, 31
Worcestershire, *Meloë rugosus* Marsham (Col., Meloidae) in, 90; *Ctenophora* species (Dipt., Tipulidae) in, 140; *Gnorimus nobilis* (L.) (Col., Scarabaeidae) in, 162
Wyre Forest, Aphidoidea (Hem.) from deciduous woodland in the, 51
Yorkshire, *Coelopisthia caledonica* Askew and *Pegopus inornatus* (Walker) (Hym., Pteromalidae) at Highfolds Enclosure, Malham, 106; *Lebia chlorocephala* (Hoffmansegg) (Col., Carabidae) in east, 111
Zambia, a new species of *Mezona* Speiser (Dipt., Platystomatidae) from north-western, 239

SPECIAL INDEX

New genera, and species, etc., are indicated by heavy type, genera and species new to Britain by an asterisk (*).

ARACHNIDA

Chermesidae, 14
Cosmobunus granarius, 238
Cryptognathidae, 113–5
Cryptognathus, 113–4; aureatus, australiensis, cucullus, eurytopus, imbricatus, lateropunctatus, 113; lagena, 113–4; luteolus, scutellatus, striatus, tenuis, ultrarostratus, vulgaris, woodi, 113
Favognathus, 113–4; barrasi, 113, cucurbita, 113–4; cucurbitellus, denticulatus, distortus, favus, insularis, leopardus, magnus, observabilis, ochraceus, pictus, rugosus, 113
Gagrellinae (Opiliones), 238
Gyantinae (Opiliones), 238
Hemaeus, xi
Leiobuninae (Opiliones), 238
Leiobunum paessleri, 238
Phalangiidae, 238
Lamprochernes nodosus, 222
Spiders, 222
Thomisus hirtus, xi

COLEOPTERA

Abax parallelepipedus, 62–4, 224
Abdera flexuosa, 32
Abomognathus cuspidatus, 109
Acalles ptinoides, 14
Acrotrichis atomaria, fascicularis, intermedia, sitkaensis, strandi, 219
Aderidae, 26
Agapantha villosoviridescens, 242
Agonum assimile, 63–6; dorsale, 63; gracile, moestum, 224
Agrilus biguttatus, pannonicus, 40
Alloparmulus, 74–5
Alphitobius diaperinus, 50
Alticinae, 75
Amara bifrons, 14; familiaris, 62, plebeja, 63
Amischa cavifrons, 219
Amphicyllis globus, 31
Amphimallon ochraceus, 150
Anisomeristes, 73; sharpi, 74
Anisorrhina flavomaculata, 4–5, 12, 16
Anthonomus bituberculatus, 249; brunnipennis, rubi, 220
Aphidecta obliterata, 220
Aphthona lutescens, 220
Apion fuscirostre, 249; pallipes, 14; sicardi, 249
Aposeridocerus, 73; flaviventris, 74; **immigrans**, 73–5; revelieri, varietatus, 74
Aridius bifasciatus, 220
Aromia moschata, 22
Asaphidion flavipes, 63–4, 66
Atheta amplicollis, 72, 220; britteni, 109; celata, debilis, 220
Atomaria atra, 220; lewisi, 72; pusilla, 14; ruficornis, 220
Autalia longicornis, 72
Axinotarsus marginalis, 32, 190
Badister bipustulatus, 63; meridionalis, 224; sodalis, 63
Baris anilis, picicornis, 90
Bembidion atrocoeruleum, bruxellense, 219; clarki, 224; doris, 116; guttula, 63; lampros, 66, 219; litorale, 219; obtusum, 62–3; schuppeli, 219; tetracolum, 126, 219
Bibloplectus minutissimus, 126
Bitoma crenata, 221
Blaps mucronata, 218
Blethisa multipunctata, 116
Bolitobius inclinans, 31
Bradycellus collaris, distinctus, 219; harpalinus, 62; sharpi, 219
Brachyomus, 96
Bruchella rufipes, 90
Caenopsis waltoni, 249
Caeoscelis ferruginea, subdeplanata, 250
Calasoma inquisitor, 180
Calyptomerus dubius, 14
Carabidae, 126
Carabus nemoralis, 62–5
Cardiophorus erichsoni, 44
Carpelimus bilineatus, 161; lindrothi, 248
Cartedere elongata, 14
Caulotrupodes aeneopiceus, 150
Cercyon bifenestratus, 249; laminatus, 36
Ceroplesis, 96
Cetonia aurata, 44
Ceutorhynchus pilosellus, 89; sulcicollis, 44
Chalcoides fulvicornis, 220
Chlaenius vestitus, 249
Chrysolina hyperici, 249; polita, 111
Chrysomela aenea, 150; aenicollis, 112
Cionus alauda, scrophulariae, 190
Cis bilamellatus, 14
Clambus nigriclavis, 14; radula, 31
Cleopa pulchella, 190
Clinteroides permutans, 4, 11–2
Clivina fossor, 63
Coelambus parallelogrammus, 13
Conopalpus testaceus, 249
Corylophidae, 73–6
Corylophus cassidinoides, 242
Cryphalus inops, 96
Cryptophagus laticollis, 220
Ctesias serra, 249
Cychrys caraboides, 63
Cypha laeviuscula, 219

Cyphon hilaris, phragmetiticola, 220
Dacne bipustulata, 14
Derodontidae, 26
Diplocoelus fagi, 162
Diplognatha gagetes silicea, 1, 4, 12
Dischista cincta, 4, 7
Dromius quadrimaculatus, 63
Dyschitius obscurus, 249
Dyspilophora trivittata, 4–6, 12
Elaphrus cupreus, riparius, 116
Endrosis sarcitrella, 50
Enicmus histrio, 220
Epurea melanocephala, 220
Euophryum confine, 178, 220
Euplectus *bonvouloiri rosae, 109–11; dupontii, fauveli, infirmus, 109; karsteni, 109–11; punctatus, sanguineus, signatus, 109
Falagria concinna, 126
Galerucella lineola, 112
Geonemus, 96
Gnathocera trivittata, 1, 12
Gnatocerus cornutus, 50
Gnorimus nobilis, 162
Guignotus pusillus, 13
Halyzia sedecimguttata, 140
Harpalus puncticeps; rufibarbis, 219; rufipes, 63; schaubergerianus, 219
Helophorus grandis, minutus, 13
Hemaeophaga mercurialis, 242
Heptaulacus sus, 14
Heterocerus fenestratus, hispidulus, 249
Heterorrhina smaragdina, 12
Hippuriphila modeeri, 249
Homalota plana, 14
Hydnobius perrisi, punctatus, 250
Hydroporus obsoletus, 94; planus, tessellatus, 13
Hydrosmectina, 126
Hylecoetus dermestoides, 221
Hyperaspis pseudopustulata, 140
Hypocryphalus mangiferae, 96
Hypothenemus griseus, 96
Hypselogenia geotrupina, 1, 4, 12
Ischnomera sanguinicollis, 140, 221
Laccobius bipunctatus, sinuatus, striatulus, 13
Lamia aethiops, 96
Lamprinodes saginatus, 14
Laricobius erichsoni, 14, 250
larvae, 62, 63
Lebia chlorocephala, 111
Leiodes ciliaris, furva, rugosa, 250
Leistus, 62–4; ferrugineus, fulvibarbis, rufescens, 63; rufomarginatus, 62, 63, 105
Leptacinus bathycrus, 126
Leptothyrea perroudi, 4, 9
Leptura marginata, xi
Lesteva heeri, 224
Limnichidae, 26
Liogluta nitidula, 220
Lithocharis ochracea, 219
Lithostygnus serripennis, 220
Longitarsus anchuse, 242; dorsalis, exoletus, 249; ganglbaueri, 14; rubiginosus, 220; rutilis, 242
Loricera pilicornis, 62–4, 66
Malthodes guttifer, 44; mysticus, 44, 249
Mausoleopsis amabilis, 4, 10
Melasis buprestoides, 221, 228
Meligethes flavipes, solidus, subrugosus, 242
Meloë rugosus, 90
Melandrya caraboides, 221
Micrambe bimaculata, 14
Micropeplus porcatus, 14
Molorchus umbellatarum, 221
Mycetophagus populi, 48
Mycetoporus piceolus, 14
Myllaena intermedia, 219
Nanophyes marmoratus, 220
Nargus anisotomoides, 14
Nebria brevicollis, 62–6
Noterus clavicornis, 155
Notiophilus biguttatus, 62–4, 66; germinyi, palustris, 219
Ocalea picata, 220
Ochthebius minimus, viridis, 13
Oligota apicata, 31; picipes, 161
Olophrum fuscum, 224
Omaliinae, 26
Omophron limbatum, 249
Orchesia micans, minor, 14; undulata, 162
Orsodacne cerasi, 249
Orthoperus, 75
Otiorhynchus *aurifer, sulcatus, 59
Oxytelus maritimus, 14
Oxythyrea haemorrhoidalis, 4, 6, 10; rubra, 4, 10–1; testaceoguttata, 4, 10
Pachnoda marginella, 1; rufa, 3, 6–7; sinuata flaviventris, 2, 4, 6–8, 12
Pachnodella impressa, 1, 4, 8, 12
Patrobus atrorufus, 63
Pediacus dermestoides, 162, 221
Petratoma ancora, 14
Philhygra, 109
Philonthus agilis, cochleatus, coprophilus, 221; fimetarius, 126; longicornis, rubromaculatus, 221
Phoxomela umbrosa, 3, 11
Phyllodecta laticollis, 249; polaris, 32; vulgatissima, 111
Phyloecia cylindrica, 242
Phytodecta pallida, 150
Phytosus balticus, 14
Plaesiorrhina recurva plana, 4, 6–7, 12
Plagiodera versicolora, 112
Platycis cosnardi, 106
Platypodidae, 161
Platystethus arenarius, 126
Poecilophila hebraea, 3, 4, 11–2
Prionocyphon serricornis, 250
Prionychus ater, 145, 249; melanarius, 145
Psadocoptera leucomelaena, 4, 6, 8, 12
Pselaphidae, 26

Pseudotriphyllus suturalis, 14
Ptenidium brenskei, 250; formicetorum, fuscicorne, 219
Pterostichus diligens, 224; madidus, 62–6, 116; melanarius, niger, 63–4; strenuus, 63–4, 66
Ptinomorphus imperialis, 221
Ptinus subpilosus, 14; tectus, 50
Ptomaphagus medius, 72
Pyrochroa coccinea, 140
Pyrrhidium sanguineum, 139
Quedius maurorufus, 224; nitipennis, 219; scintillans, semianeus, 14
Rhabdotis aulica, 3, 8–9; semipunctata, 3, 9; sobrina, 4, 9
Rhagonycha translucida, 249
Rhizophagus cribratus, 14; nitidulus, 162, 221; parallelocollis, perforatus, 109
Rhynchaenus quercus, 220
Saperda populnea, 250
Schizotus pectinicornis, 125
Scirtidae, 26
Scolytidae, 161
Scolytus intricatus, 126
Scymnus frontalis, schmidti, 140, 220
Sepedophilus lusitanicus, marshami, testaceus, 31
Sericoderitae, 73–5
Sericoderus, 73; lateralis, 74, 75
Silis ruficollis, 242
Silphidae, 26
Sinodendron cylindricum, 44
Spatulonthus, s.g., 221
Staphylinidae, 26, 126
Staphylinus caesareus, 224; olens, 116
Stenichnus pusillus, 31
Stenostola dubia, 221, 249
Stenus boops, 224; butrintensis, 58; fuscipes, juno, nigritulus, opticus, 224; pallitarsis, 58; tarsalis, 224
Stomis punicatus, 63
Synuchus nivalis, 249
Tachinus rufipes, 126
Tenebrionidae, 26
Tetratomidae, 26
Trechus castaneum, novale, xi
Troglops cephalotes v. cruentus, 179–80
Tychius quinquepunctatus, 48
Uleiota planata, 32
Urodon rufipes, 90
"Urodontidae", 26
Xyleborus dispar, 161, 221; saxeseni, 161
Xylodromus concinnus, 219
Xylosandrus, 161

DERMAPTERA

Alloblandex, 141; grandulatus, 142
Anisolabididae, 141–2, 144–5
Anisolabidinae, 143–4
Anisolabiidae, Anisolabiinae, 144
Anisolabis holdausi, 143–4; myrmecoides, 144
Austroblandex, 141–2; **bituberculatus**, 141–3
Blandex, 141
Blandicinae, 141–2
Brachylabidiinae, 144
Brachylabidinae, 143–4
Carcinophoridae, 141, 144
Dacnodes, 141
Echinosoma, Echinosomatinae, 141
Gonolabis, 145; **rossi**, 141, 143–5
Isolabidiinae, 144
Isolabidinae, 142–4
Isolabis **cavagnaroi**, 141–4; notonoma, 143–4
Nannisolabis gisleni, 143–4
Parablandex, 141
Pygidicranidae, 141–2
Pygidicraninae, 141

DICTYOPTERA

Ectobius lapponicus, 112

DIPTERA

Acanthocnema glaucescens, 181
Acritochaeta, s.g., 15
Aedes, 86–7, 128–9; annulipes, 85, 88, 131; australis, 120; cantans, 83, 85, 87–8, 131, 135; caspius, 85–8, 131; cinereus, 84–6, 88, 130; communis, 88, 131; detritus, 84, 86, 88, 131–2; dorsalis, 84–5, 87–8, 132; flavescens, 85, 88, 132; fumipennis, 85; geniculatus, 84–6, 130–1; leucomelas, 87–8, 132; punctor, 83–6, 88, 132; rusticus, 85–6, 88, 133; sierrensis, 120; sticticus, 84, 87–8, 133; vexans, 84–5, 88, 130
Aedimorphus, 128; domesticus, 130; vexans, 88
Aenictomyia, 159
Allotheobaldia, 128, 135; longiareolata, 88
Alophora hemiptera, 81
Anastrepha, 194
Anopheles, 127–8; atroparvus, 83, 87–8, 128–9; algeriensis, 88, 128; bifurcatus, 83–6; claviger, 83–5, 88, 129; c. v. labranchiae, 129; grisescens, 83–4; labranchiae atroparvus, 87; maculipennis, 83–7, 129; messeae, 83, 87–8, 129; nigripes, 85–6; pictus, 85; plumbeus, 83–6, 88, 129; pygmaeus, 84
Argyra elongata, 242
Aschiza, 47
Asilomorpha, 193
Atherigona, 15–25, 117–20; aberrans, 117; albistyla, aster, aurifacies, 117;

basitarsalis, 16–7, 22; bidens, 25; **bifurcata**, 16–7; bimaculata, 15, 18, 117; budongoana, 24, 117; campestris, cinarina, conigera, 117; **contrastiloba**, 16, 19, 23; **cornicauda**, 16, 19, 24–5; facilis, 21; **fenestralis**, 16, 19, 23–4; ferruginea, 18, 117; fuscisquama, 16; gilvifolia, 16, 19, 117; grisea, 18; hancocki, 117; humeralis, 18, 117; hyalinipennis, 117; laevigata, 18, 117–8, 120; latiloba, 21; lineata, l. ugandae, longifolia, 118; maculipennis, 15; **madagascarensis**, 17–8, 20–1; marginifolia, 118; matilei, 16, 20, 118; minor, 18; nigeriensis, 22; nitidifrons, 21; orientalis, 15; pedunculata, 24–5; ponti, pulla, 118; robertsi, 24, 118; rubricornis, ruficornis, samaruensis, secrecauda, 118; soccata, 16, 18, 22–3, 118; steelae, tomentigera, 118; tridentata, 16; trapezia, 16, 20, 118; triangularis, truncata, 24; **univittata**, 118–20; valida, 118; yorki, 117
Atractocera latipes, 96
Atrichobrunettia angustipennis, 231; ionica, lyrata, simplex, tenuipennis, 232
Atrichops crassipes, 242
Atissini, 69
Australocalliphora, s.g., 95
Barraudius, 128, 133–4; modestus, 83–9
Bibio johannis, 120
Bibionidae, 92
Bibionomorpha, 193
blowflies, 116
Bradysia, 196; amoena, 202; aprica, 203; **consumpta**, 198, 202–3; fenestralis, 202; fungicola, 203; normalis, 197
Brunettia, 231
Calliphora **lordhowensis**, pseudovomitoria, 95; vicina, vomitoria, 97–8
Calythea, 156
Ceratitis capitata, 194
Cheilosia albitarsis, 107–8; carbonaria, 242; globulipes, longula, praecox, 107
Chetostoma curvinerve, 204
Chrysomya, 163
Cnetha, 96
Cochliomyia, 163
Coelocephala arcuata, 239
Coelopa frigida, 72
Coniosternum minuta, obscura, 181–4
Conopariella picipennis, tibialis, 239
Coquillettidia, 128; richardii, 85, 87–8, 133
Cordilura atrata, 72
Corynoptera 195–6; abblanda, 200; acanthostyla, 198; blanda, 198–200; brevipennis, 199; coei, curvispina, 201; forcipata, 199; irmgardis, 195, 198–9; **recurvispina**, 198, 200–1; setosa, 199; subparvula, 201
Craspedochaeta karli, 72
Criorhina asilica, 96; berberina, 140
Ctenophora bimaculata, flaveolata, nigricornis, ornata, pectinicornis, 140
Culex, 86, 128, 133; affinis, 84; annulata, 83; annulatus, 83, 85, 137; annulipes, 84–5, 130–1; apicalis, 87; bicolor, 83–5; calopus, 83, 85; cantans, 83, 85–6, 131; caspius, 131; ciliaris, 84–5; concinnus, 83–4; detritus, 84–5, 132; diversus, 85–6; domesticus, 83, 85; dorsalis, 84–6, 132; 5-cinctus, 84; flavescens, 132; fumipennis, 83, 85, 136; geniculatus, 130–1; guttatus, 84; lateralis, 83–6; leucomelas, 132; longiareolata, 135; lutescens, 83, 85; maculatus, 83; marginalis, 83–4; moestus, 86–8, 134; morsitans, 85–6; nemorosus, 83, 85; nigripes v sylvae, nigritulus, 85–6; ornatus, 83–5; pipiens, 83–8, 132, 134; pipiens molestus, 134; pulchripalpis, 85–6; punctatus, 83–5; punctor, 132; pusillus, 134; richiardii, 133; rufus, 83; rusticus, 85–6, 133; sticticus, 84–5, 133; sylvaticus, 83–4; territans, 87–8, 135; torrentium, 87–8, 134; unistriatus, 84; vexans, 85, 130, 136
Culicada, 135
Culicidae, 127–39
Culicella, 128; fumipennis, morsitans, 86; m. v. litorea, 136
Culiseta, 86–7, 128, 135; alaskaensis, 87–8, 137; annulata, 83, 85, 88, 137; fumipennis, 83, 88, 136; litorea, 88, 136; longiareolata, 87–8, 135; morsitans, 85, 88, 136; subochrea, 88, 137
Dacus oleae, 194
Dasysyrphus lunulatus, tricinctus, 121; venustus, 121–3
Delia caledonica, 72
Dexia, 96
Didea alneti, 34
Dilophus febrilis, 120
Diptera, 146
Dixella filicornis, 178
Dohrniphora, 159
Dolichopus latelimbatus, 216
Dorsochaeta, 159
Drosophila, 120; melanogaster, 164; larvae, 120
Eggisops pecchiolii, 242
Empididae, s.l., 47
Empidoidea, 47, 193
"Ephydra cinerea", 194
Eristalis rupium, 68
Euforcipomyia, 147
Euprojoannisia, s.g., 147
Euthyneura albipennis, halidayi, *inermis, 33
Eutrichota, 156
Fannia, 181
Ferniella, 92
Finlaya, 86–7, 128, 130; [as s.g.]; geniculata, 84–6, 88; lateralis, 83–9

fly pupae, 116
Forcipomyia alacris, borealis, 147; crassipes, 148; *phlebotomoides, 147–8; subsaltans, 147; titillans, 147–8; turfacea, 147
Gerobrunettia, 232
Grabhamia dorsalis, 86
Hebridisimulium, 149
Hercostomus chrysozyos, 242
Heterosciara semialata, 197
Hydrobaenus flexuellus, 197
Lamprochromus elegans, 242
Leptosciarella, 197
Lonchoptera nitidifrons, scutellata, 242
Lucilia, 97; sericata, 98
Lulodes asteropterus, seriatopunctatum, 239
Lycoria irmgardis, 199
Lycoriella auripila, caesar, 201; latistyla, 198, 201–2; leucotricha, 197; mali, solani, 201; vanderweili, 202
Megaselia nigribasis, 158; **pagei**, 157–9
Meromyza *hispanica, 217–8
Meroplius minutus, 82
Mezona compta, 239, 241) **mwinilungae**, 239–41; proxenus, 239, 241
Mirousiella, 232
Molobrus mali, 201
Musca rustica, 96
Myopa buccata, polystigma, strandi, tessellatipennis, testacea, vicaria, 48
Myopina, 156
Myopiomyia harmani, 158–60
Neoascia obliqua, 242
Neocalliphora, s.g., 95
Neoculex, 127–8, 134–5; territans, 88
Neoepidesma thoracale, vicinum, 239
Neopachygaster meromelas, 242
Neosciara, 199
Neottiophilum praeustum, 82
Nupedia, 156; aestiva, 72
Oceanocalliphora, s.g., 95
Ochlerotatus, 86–7, 128, 131; annulipes, 83, 86; cantans, 83; caspius, 87; communis, 88; curriei, 87; detritus, 87; diversus, 83, 86–7; dorsalis, 86–7; flavescens, 88; lateralis, 83, 86; leucomelas, 88; maculatus, 86; nemorosus, 84, 86; punctor, 88; rusticus, 87; salinus, 86–7; sticticus, 87–8; vexans, 86; waterhousei, 83, 87
Odontomyia argentata, 242
Opetia nigra, 47
Ophyra capensis, ignava, leucostoma, 44
Ornithomyia fringillina, 234
Orthodopomyia, 86; albionensis, 87; pulchripalpis, 86–8; pulcripalpis, 137–8
Palpomyia asphaltina, 239
Papuocalliphora, s.g., 95
Paracalliphora, s.g., 95
Paraphytomyza, xi
Parastenophora, 191
Parasyrphus lineolus, punctulatus, vittigera, 123
Pegoplata, 156
Peltacanthina cervina, 239
Pericoma angustipennis, 231
Phora, 191–2
Phoridae, 47, 191
Physiphora demandata, 222
Phytagromyza luteoscutellata, xi
Pipiza bimaculata, luteitarsis, noctiluca, 124
Plagiostenopterina submetallica, 239
Platypezidae, 47
Plecia nearctica, 120
Plesioclythia argyrogyna, 193
Proforcipomyia, 147
*Pseudolynchia *garzettae, 234
Pseudonevermannia, 96
Pseudostenophora, 191
Psilopini, 69
Rhagoletis cerasi, pomonella, 194
Rhaphium penicillatum, 216
Sarcophaga sinuata, 242
Scatopse incompleta, 92
Scatopsciara multispina, quinquelineata, vitripennis, 203
Scatopsidae, 92
Sciara blanda, 199; solani, 201; vitripennis, 203
Sciaraneura quercicola, 204
Scoliocephalus **caboverdensis**, 69–71; monochaeta, pallidisetis, 69
Scythropochroa quercicola, 199, 204; ?radialis, 197–8, 204
Sepsis punctum, violacea, 82
Sergentomyia **koraputa**, 93–4
Simulia borealis, ferruginea, posticata, rufa, xi
Simulium, 149; austeni, xi; laciniatum, 149, 150; ovazzae, 149
Sphaerophoria menthrastri, 123–4; ruppellii, 242; scripta, 123
Tachypeza nubila, 202
Taeniorhynchus richardii, 85–7
Telmatoscopus, 232
Tephritidae, 194
Teuchophorus signatus, 216
Theobaldia, 86–7, 135; alaskaensis, 137; annulata, 86, 137; a.v. subochrea, 137; fumipennis, 86; longiareolata, 87; morsitans, 86; subochrea, 137; theobaldi, 86
Trichosia caudata, 91–2; glabra, 197; **jenkinsoni**, 197–8; pilosa, 197
Triglyphus primus, 242
Triphleba antricola, aptina, bartholomei, 191; brumalis, 193; **chandleri**, 191–2; concolor, fantinii, 191; gracilis, 192; hyalinata, 191–3; hyemalis, inaequalis, 192; lagrecai, 191; luteifemorata, lyria, 192; mohrae, 193; opaca, 192; perenniformis, 193; perennis, vitrea, 192
Trypetidae, 194

Uranotaenia domestica, 130
Volucella inflata, 242
Xylomyia marginata, 242
Xylota tarda, 242
Zygoneura sciarina, 197

HEMIPTERA

Acyrthosiphon malvae, 52, 225, 227; pisum, 52; poterii, 225–6; **sanguisorbae**, 225–7; thracicus, 227
Adarrus ocellaris, 79–80
Adelphocoris lineolatus, 79
Aelia acuminata, 76
Africia lineatifrons, 43
Afronaso, 243
Ahomocnemiella, 243–4
Alloscelis, 243
Amblytylus nasutus, 79
Amphorophora rubi, 53
Anoecia corni, 53
Aphelonema, 243
Aphis, 60; callunae, chloris, epilobii, fabae, 52; farinosa, 52–4; ilicis, pomi, salicariae, ulicis, urticata, 52
Aphrodes albifrons, 80; bicinctus, 79; ?fuscifasciatus, 38
Aptus mirmicoides, 76
Arthaldeus pascuellus, 79–80
Asarcopus, 243–4
Asciodema obsoletum, 76
Atractotomus magnicornis, mali, 76
Augila, 244
Augilina, 243, 244
Augilodes, 244
Balclutha punctata, 80
Bandusia, 151–4; erythrostena, innotata, 151, 155; rubicunda, **sotele**, 151–4; vidua, 151
Bandusiini, 151
Bergrothora, 243
Betulaphis quadrituberculata, 52
Blepharidopterus angulatus, 76
Brachycaudus helichrysi, klugkisti, 52; sp. 124
Bruchomorpha, 243
Bruchoscelis, 243
Caliscelis, 243
Calocoris quadripunctatus, sexguttatus, 76
Cavariella konoi, 52; pastinacae, 52, 54
Chaitophorus horii beuthani, populeti, 52
Chlorita bodenheimeri, citrea, lybica, 42; signata, 41–2
Cicada nigra, 154
Cicadula persimilis, 79–80; quadrinotata, 79
Concepcionella, 243
Coniortodes salicellus, 76
Conocaliscelis, 243–4
Conostethus roseus, 79
Coriomerus denticulatus, 79
Corixa albifrons, 96
Cymus melanocephalis, 78
Delphacidae, 78
Delphacinus mesomelas, 79
Dicranotropis hamata, 79
Dicyphus errans, 76, 79
Dikraneura variata, 79–80
Diuraphis holci, 52
Doratura stylata, 79–80
Drepanosiphum platanoidis, 52, 121, 123
Drymus ryeii, 96; sylvaticus, 79
Dryophilocoris flavoquadrimaculatus, 76
Elasmostethus interstinctus, 76
Elymana sulphurella, 79
Emclyanoviana mollicula, 80
Empoasca benedettoi, 42; bodenheimeri, citrea, 41; citrusa, 41–2; distinguenda, 41–3; fabae, 41; signata, 42
Euceraphis betulae, 52–4
Eupelix cuspidata, 79
Eupteryx notata, 80
Euscelis incisus, 79–80
Fitchiella, 243
Forcipata forcipata, 80
Fulgoroidea, 243–7
Glyphina betulae, 53
Graphocraerus ventralis, 79–80
Griphissus, 243
Gwurra, 243–4
Hallodapus rufescens, 79
Harpocera thoracica, 76
Hemisphaeriinae, 243
Hesperocorixa sahlbergi, 76
Homaloplasis, 243
Homocnemia, 243
Hyledelphax elegentulus, 80
Hyperomyzus lampsanae, 52
Idiocerus herrichi, 250
Issidae, 243
Issopulex, 243
Itatiayana, 243
Jacobiaca lybica, 41–3
Jassargus distinguendus, 79–80
Javesella pellucida, 80–1
Kelisia guttula, 80
Kosswigianella exigua, 80
Lachnus roboris, 51, 53
Leptoterna dolobrata, 76, 79; ferrugata, 79
Leucapsis, 96
Literna haglundi, 151, 154–5; innotata, i. obscurata, 151
Locris, 151
Lophopidae, 244
Lopus decolor, 76, 79
Lygocoris viridis, 76
Lygus rugulipennis, 76
Macrosiphoniella millefolii, 53
Macrosiphum cholodkovskyi, euphorbiae, euphorbiellum, gei, 53; rosae, 53, 123
Macrosteles laevis, 79–80
Megacoelum infusum, 76
Megalocerea recticornis, 79
Megalocoelus molliculus, 79

Megamelodes quadrimaculatus, 79
Megophthalmus scanicus, 80
Megoura viciae, 53
Melanaphis, 60
Microlophium carnosum, 52
Mocydia crocea, 80
Monecophora erythrostena, 151–2; innotata, 154–5; rubella, vidua, 151, 153
Myrmus miriformis, 79
Myzaphis rosarum, 52
Myzocallis castanicola, coryli, 52
Myzus cerasi, 52–3; ligustri, 52
Nabis flavomarginatus, 79
Nabis ferus, 76; rugosus, 79
Nasonovia ribisnigri, 52
Neophilaenus campestris, 79–80; exclamationis, 80; lineatus, 79–80
Notostira elongata, 79
Nysius ericae, 76, 78–9
Ohausiella, 243
Ommatidiotini, 243–7
Ommatidiotus, 244
Orthops cervinus, 76
Orthotylus flavosparsus, marginalis, nassatus, viridinervis, 76
Ovatus crataegarius, 52
Pachylops bicolor, 76
Pantilius tunicatus, 76
Papagona, 243
Paranaso, 243
Periphyllus acericola, 52; testudinaceus, 52, 54
Peripola, 243
Philaenus spumarius, 79–80
Phorodon humuli, 52–3
Phyllaphis fagi, 52
Phytocoris dimidiatus, populi, tiliae, 76
Piezodorus lituratus, 76
Plagiognathus chrysanthemni, 79
Plagiopsis, 243
Plagiopsola, 243
Plesiocoris rugicollis, 76
Polymerus palustris, 76
Populonia, 243
Psallus falleni, perrisi, varians, 76
Psammotettix confinis, 79–80
Psylloidea, 146
Pterocallis alni, 52
Rhinogaster, 243
Rhopalosiphum, 60
Schizoneura ulmi, 124
Semiperipola, 243
Sitobion fragariae, 53, 121–2
Sphenorhina rubicunda, 151
Stenocranus minutus, 79–80
Stenodema calcaratum, laevigatum, 79
Stenotus binotatus, 76
Streptanus sordidus, 79–80
Strongylocoris leucocephalus, 78–9
Struebingianella dalei, 80
Symplana, 244
Symplanella, 244–6; **breviceps**, 245–6
Symplanodes, 244, 246–7; **conjunctor**, 246–7
Symydobius oblongus, 52–3
Telogmometopius, 151
Thelaxes dryophila, 53
Tingis ampliata, 79
Tonginae, 243
Trienopinae, 243
Trigoniotylus ruficornis, 78–9
Tuberculatus annulatus, neglectus, 52
Tuberlachnus alignus, 51
Tubilustrium, 243–4
Turrutus socialis, 80
Ugandana, 243
Uroleucon jaceae, obscurum, taraxaci, 53
Zyginidia scutellaris, 79–80

HYMENOPTERA

Acropyga acutiventris, 159
Alloxysta, 146
Alysson kennedii, 39; lunicornis, 37–40
Anocrabro fritzi, 223–4
Anastatus platycleidis, *ruficaudus, 49
Ancistrocerus oviventris, scoticus, 35
Andrena lapponica, 36
Andricus hungaricus, 49
Anthophora plumipes, 90
Aphelinus mytilaspidis, 96
Apocharips, 146
Arachnospila anceps, 35
Arge ciliaris, 242
Asaphes suspensus, 106
Bohartella, 99–100, 104–5; scapheutoides, 105
Bothynostethina, 99
Bothynostethini, 99, 103
Bothynostethus, 99–100, 103; distinctus, 103
Brachygaster minutus, 112
Ceranisus, 186, 189; bicolor, 189
Charipidae, 146
Cirrospilus pacuvius, 186, 189
Coelioxys vectis, 71
Coelopisthia caledonica, 106
Coruna clavata, 185
Crossocerus megacephalus, pusillus, 35; walkeri, 242
Cynipidae, 146
Dolichovespula **baileyi**, 30; **flora**, 27–9; maculata, panda, 27; **sinensis**, 29–30; sylvestris, 27
Colerus bimaculatus, 242
Ectemnium cavifrons, lapidarius, 35; ruficornis, 242
Ectroma fulvescens, 186
Entedon cionobius, 106
Epiclerus panyas, 106
Eucoilidae, 146
Eupelmus atropurpureus, 49; degeeri, 186
Eutelus immaculatus, 185
Evagetes crassicornis, 37

Figites, 146
Formica aquilonia, 209; exsecta, 210; fusca, 209–10, 214, 216; lemani, 209–16; lugubris, 209; rufa, 51–4, 238; sanguinea, 210
Formicoxenus nitidulus, 209–10
Ganstrancistrus laticornis, 186
Gelis sp., 106
Gymnomerus laevipes, 242
Hedychridium cupreum, 54
Heteroxys scenicus, 186
Ibaliidae, 146
Isosoma flavicolle, 186
Itoplectis maculator, 106
Larrinae, 99
Lasioglossum villosulum, 35
Lasius alienus, 210, 238; brunneus, 238; flavus, 209–10, 238; mixtus, 210; niger, 76, 209–10, 238; umbratus, 210, 238
Leptothorax acervorum, 210
Macroneura vesicularis, 49
Macrophya albipuncta, blanda, 242
Megachile willughbiella v. hibernica, 36
Merismus flavicornis, 185
Merostenus excavatus, 49; phedyma, 185
Mesopelobus diffinis, 106
Metopon atrum, 185
Micromelus pyrrhogaster, 186
Miscophus, 236
Myopias maligna, 160
Myrmica lobicornis, 210; rubra, 210, 238; ruginodis, 209; sabuleti, 210; scabrinodis, sulcinodis, 209
Nitela borealis, 235–7; fallax, 235; spinolae, 235–7
Notaspis formiciformis, 186
Odontomachus simillimus, 157–9
Opius pallipes, xi
Ormocerus maritimus, 186
Oxybelus mandibularis, 36
Pegopus inornatus, 106
Phaenocarpa flavipes, 183
Pimpla instigator, 189
Priocnemis gracilis, 37
Priomerus pachymerus, 186, 238
Prosodes ater, 185
Prosopon montanum, 186
Psilocera obscura, 186
Psilonotus adamas, 185
Pteromalus latus, 186
Rhadinocera micans, 242
Sanaviron marthae, 99–104
sawflies, 146
Scapheutes, 99
Scapheutina, 99
Scapheutini, 105
Sphecodes ephippius, 35
Symmorphus crassicornis, 34
Systasis encyrtoides, 185
Systole platyptera, 186
Tachysphex pompiliformis, 37; unicolor, 54
Tenthredo omissa, 242
Tetramorium caespitum, 210, 238
Toxeuma ericae, 186
Trigonoderus obscurus, 186
Vespa crabro, 68
Willinkiella, 99–100, 103–4; argentina, **brasiliensis**, 104

LEPIDOPTERA

Glyphipterix, x
Graphium, 164
Helicoverpa, 146
Heliothis armigera, 146
Herpetogramma centrostrigalis, 67
Lamprolenis, 164
Lepidopterous larvae, 180; pupae, 189
Lobesia occidentalis, 106
Lycaena mirza, xi
Nymphula, 96
Papilio phorcas, 164
Phalaena stagnata, 96
Pierella, 164
Pterophoridae, 67
Pyralidae, 67–8
Spodoptera exempta, 146
Tinea berstraesserella, x
Trumala, 164
Xestia alpicola, 106

NEUROPTERA

Chrysopa perla, 230
Neuroptera, 146

ORTHOPTERA

Acridium ambulans, 96
Chorthippus parallelus, 247
Listroscelis pectinata, 96
Metrioptera brachyptera, 247
Phalacridium vittatum, 96
Phisis, 96
Pholidoptera griseoaptera, 49
Platycleis denticulata, grisea, 49
Tettigonia viridissima, 49
tettigonid eggs, 49
Teuthras, 96
Trigoniza australiensis, manca, 96

PHTHIRAPTERA

Trichodectes canis, 55; melis, 55–8; pinguis, vosseleri, 55

PSOCOPTERA

Badonnelia titei, 125
Cerastipsocine nymphs, 229–30
Myopsocid nymphs, 229–30

STREPSIPTERA

Elenchus tenuicornis, 81

THYSANOPTERA

Thysanoptera, 230

THYSANURA

Dilta hibernica, 58

TRICHOPTERA

Anabolia bimaculata, 181–4
Ceraclea annulicornis, 148
Hydropsyche contubernalis, 148
Hydroptila forcipata, lotensis, sparsa, 148
Limnephilus flavicornis, marmoratus, 183
Mystacides azurea, 148
Psychomyia pusilla, 148

GROUPS OTHER THAN INSECTA AND ARACHNIDA

Annelida, 116
Aves, 82, 234
Crustacea (Decapoda, Isopoda), 116, 149–50
Diplopoda, 205–8, 222, xi
Mammalia, 116, 130
Mollusca, 116, 140, 222

ERRATA AND CORRIGENDA

Page	Line	For	Read
72	12	*Cordylura*	*Cordilura*
80	10	*Graphocraearus*	*Graphocraerus*
104	3	*WILKINKIELLA*	*WILLINKIELLA*
117	18 (up)	Kititok	Kiditok
184	23	*Coniodyrtnum*	*Coniosternum*
204	8	*Schythropochroa*	*Scythropochroa*
xi	21	Labrinae	Larrinae

Printed in England by V.B. Pike Printers, Kettering, Northamptonshire